

Cole

E UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent No. US 6,883,715 B1)

FRUHAUF ET AL.

Issued: APRIL 26, 2005

For: MULTI-MODE SMART CARD, SYSTEM

AND ASSOCIATED METHODS



REQUEST FOR CERTIFICATE OF CORRECTION OF APPLICANT'S MISTAKE UNDER RULE 1.323

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of Rule 1.323 of the Rules of Practice, the Patent Office is respectfully requested to correct matters in the above-identified patent in accordance with the Certificate of Correction Form PTO-1050 attached hereto.

The Patent Office is requested to issue a Certificate of Correction on the above-referenced Patent Document, and to place such a Certificate of Correction in the file, so that such will appear on any copies of the patent which are ordered in the future.

The corrections being made are of consequence to provide the proper recitation in the specification and claims. The mistakes occurred in good faith and are not the fault of the Patent and Trademark Office. However, several printing errors of the Patent Office are also being corrected. No new matter is added by these corrections.

In re Patent of FRUHAUF ET AL.

Patent No. US 6, 883,715 B1

Issued: APRIL 26, 2005

A check for the requisite fee as set forth in 37 CFR § 1.20(a) in the amount of \$100.00 is included herewith. The Commissioner is authorized to charge or credit any discrepancies in fee amounts to Deposit Account 01-0484.

The PTO did not receive the following listed Item(s)

received C-card.

Respectfully submitted,

Christopher F. Regan

Reg. No. 34,906
Allen, Dyer, Doppelt, Milbrath
& Gilchrist, P.A.

255 S. Orange Ave., Suite 1401

P. O. Box 3791

Orlando, Florida 32802

(407) 841-2330

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450 on this 10th day of October, 2006.

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO.

US 6,883,715 B1

DATED

April 26, 2005

INVENTOR(S)

Fruhauf et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below

Cover page (57),

Delete: " and 2 second"

Line 9

Insert: -- and a second --

Column 1, Line 31

Delete: "of"

Insert: -- on --

Column 1, Line 40

Delete: "perform"

Insert: -- performing --

Column 4, Line 34

Delete: "an receiving"

Insert: -- a receiving --

Column 7, Line 4

Delete: "FIG. 9"
Insert: -- FIG. 2 --

Column 7, Line 17

Delete: "a M4 voltage"

Insert: -- a voltage --

Column 8, Line 17

Delete: "D-minus D- pad"

Insert: -- D-minus pad D-

Column 11, Line 37

Delete: "CB"

Insert: -- C8 --

Column 11, Line 42

Delete: "CB"

Insert: -- C8 --

MAILING ADDRESS OF SENDER:

PATENT NO. <u>US 6,883,715 B1</u>

Christopher F. Regan

Allen, Dyer, Doppelt, Milbrath & Gilchrist, P.A.

255 S. Orange Avenue – Suite 1401

P.O. Box 3791

Orlando, FL 32802-3791

PHONE: (407) 841-2330

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO.

: US 6,883,715 B1 : April 26, 2005

DATED INVENTOR(S)

Fruhauf et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below

Column 16, Line 47

Delete: "ISO 1816" Insert: -- ISO 7816 --

Column 17, Line 61

Delete: "tad"
Insert: -- and --

Column 18, Line 2

Delete: "lads"
Insert: -- pads --

Column 18, Line 21

Delete: "inone"
Insert: -- in one --

Column 18, Line 58

Delete: "claim 16"

Insert: -- claim 18 --

Column 18, Line 63

Delete: "claim 1B" Insert: -- claim 18 --

Column 19, Line 4

Delete: "non-190"

Insert: -- non ISO --

Column 20, Line 18

Delete: "non-180" Insert: -- non ISO --

MAILING ADDRESS OF SENDER:

PATENT NO. <u>US 6,883,715 B1</u>

Christopher F. Regan

Allen, Dyer, Doppelt, Milbrath & Gilchrist, P.A.

255 S. Orange Avenue - Suite 1401

P.O. Box 3791

Orlando, FL 32802-3791

PHONE: (407) 841-2330